International Scientific Conference 20 UNITECH 26

INTERNATIONAL SCIENTIFIC CONFERENCE
19-21 November 2026
GABROVO

CHALLENGES IN INTELLIGENT TRAFFIC MANAGEMENT WITHIN SMART CITY ENVIRONMENTS: A COMPREHENSIVE REVIEW

Plamen Stanchev[1,*], Nikolay Hinov[2], Silvia Ivanova[2], Yordan Petkov[2]

[1] Technical University of Sofia, Department of Intelligent Technology in the Industry, 8, Kliment Ohridsky blvd. Sofia, Bulgaria
[2] Technical University of Sofia, Department of Computer Systems, 8, Kliment Ohridsky blvd. Sofia, Bulgaria

……
**Corresponding author: p.stanchev@tu-sofia.bg*

Abstract
Urban growth has increased congestion, emissions, and safety pressures, strengthening the need for efficient traffic management in smart cities. Intelligent Traffic Management Systems (ITMS) address these challenges through Internet of Things (IoT) sensing, artificial intelligence (AI), vehicular communication, and data-driven control. This paper presents a structured narrative review of the main technical, data, cybersecurity, infrastructure, and organizational challenges affecting ITMS design and deployment. Selected city cases are compared to identify recurring barriers and implementation patterns. Emerging directions, including AI-based optimization, connected and autonomous vehicles, edge computing, digital twins, and explainable AI, are also discussed. The review shows that technological progress alone is insufficient: successful ITMS require interoperable architectures, reliable data integration, secure operation, and sustained institutional coordination.

Keywords: smart cities, intelligent traffic management, intelligent transportation systems (ITS), Internet of Things (IoT), and vehicular communication (V2X)

INTRODUCTION

Rapid urbanization places growing pressure on transport infrastructure through congestion, emissions, and safety risks. Smart-city strategies therefore use information and communication technologies (ICT) to improve the efficiency and sustainability of urban mobility [1], [2].

Intelligent Traffic Management Systems (ITMS) support real-time monitoring and control by combining IoT sensing, artificial intelligence (AI), and vehicular communication. Their deployment, however, is constrained by scalability, heterogeneous data, interoperability, cybersecurity, privacy, and institutional factors [3]–[5].

This paper provides a structured narrative review of these challenges and compares selected real-world implementations. The analysis draws on foundational and recent peer-reviewed studies together with representative city cases, focusing on recurring technical, operational, and governance constraints.

Sources were selected for direct relevance to ITMS technologies, deployment barriers, and comparative urban applications.

The synthesis is thematic rather than statistical and emphasizes cross-cutting challenges and research needs.

INTELLIGENT TRAFFIC MANAGEMENT IN SMART CITIES: CONCEPTS AND ARCHITECTURE

Smart cities use ICT to improve urban services, while Intelligent Transportation Systems (ITS) apply these technologies to mobility, traffic efficiency, and road safety

This is an open access article licensed under Creative Commons Attribution 4.0 International
Print ISSN: 1313-230X, Online ISSN: 3033-1404

[1], [2]. ITMS form the real-time monitoring and control component of ITS.

ITMS continuously collect traffic data, analyze current and predicted conditions, and apply adaptive control actions. This closed-loop operation can improve use of existing infrastructure without requiring equivalent physical expansion.

A. Key Enabling Technologies

ITMS combine IoT sensors, cameras, GPS-enabled devices, AI and machine learning, vehicular communication, and cloud/edge computing. IoT devices provide traffic speed, density, and flow data [2], while AI methods, including deep reinforcement learning, support prediction and adaptive signal control [6], [7]. Vehicle-to-everything (V2X) communication enables information exchange among vehicles and infrastructure, improving cooperative awareness and control [5]. Cloud and edge platforms provide scalable processing for these heterogeneous real-time data streams.

B. System Architecture of ITMS

A typical ITMS uses a layered architecture [2], [8]. Sensors, cameras, loop detectors, and connected vehicles form the data-acquisition layer. Wired and wireless networks, including V2X, transfer the collected information [9]. An analytical layer aggregates the data and applies processing and AI methods to identify patterns, predict congestion, and detect anomalies [7]. The application and control layer then performs functions such as adaptive signal timing, route optimization, and congestion mitigation [6]. Together, these layers form a continuous sensing–analysis–control loop.

C. Data Flow and Decision-Making Process

Real-time traffic data are transmitted to processing units, converted into traffic-state estimates or predictions, and used to generate control actions for signals and traveler-information systems [2], [6], [7], [9]. This feedback process enables context-aware adaptation but also makes performance sensitive to latency, synchronization, communication reliability, and data quality [5]. Figure 1 summarizes the layered architecture and information flow.




Fig. 1 *General architecture of an intelligent traffic management system in a smart city environment.*

KEY CHALLENGES IN INTELLIGENT TRAFFIC MANAGEMENT

ITMS deployment involves interdependent technical, data, cybersecurity, infrastructure, and organizational challenges. Their impact increases as urban networks become larger, more connected, and more dependent on real-time data.

Scalability and interoperability are central technical issues. Growing numbers of connected devices increase processing and communication requirements, while proprietary platforms and heterogeneous standards can prevent seamless integration [8].

Data quality is equally important. Information from sensors, vehicles, and infrastructure may be incomplete, inconsistent, or differently formatted, reducing the accuracy of prediction and control. Distributed real-time processing also requires reliable synchronization [2], [10].

Connectivity expands cybersecurity and privacy risks. V2X and IoT components can be exposed to denial-of-service, manipulation, or unauthorized access, while

mobility data may reveal sensitive location and behavioral information [5]. Secure authentication, integrity protection, and privacy-aware data handling are therefore essential.

Deployment also requires substantial investment and often must coexist with legacy infrastructure. Integration costs, limited standardization, and fragmented responsibilities among authorities and technology providers can delay modernization [2], [4]. These constraints are summarized in Table 1 together with their operational impact and research implications.

Addressing these challenges requires coordinated solutions across architecture, data governance, cybersecurity, infrastructure modernization, and regulation.

REAL-WORLD IMPLEMENTATIONS AND CASE STUDIES

Real-world ITMS differ according to infrastructure maturity, funding, governance, and policy. Four representative cities illustrate how similar technologies encounter different deployment constraints.

Singapore combines real-time monitoring, electronic road pricing, and data-driven traffic optimization. Its integrated model supports responsive traffic management but requires high investment, continuous upgrades, and strong institutional capacity [11].

Barcelona uses IoT sensors and centralized traffic-management platforms for monitoring and signal control. Its experience highlights data-integration and interoperability issues across heterogeneous urban subsystems [2], [12].

London combines congestion charging, real-time monitoring, and adaptive signal control. These measures support congestion and emissions management, while privacy, regulation, and integration of emerging connected-vehicle technologies remain relevant challenges [5], [13].

Amsterdam emphasizes sustainable and multimodal mobility through data-driven control, cycling, and public transport integration. Its model illustrates the importance of stakeholder coordination across complex transport modes [8], [14].

Table 1 *Key Challenges in Intelligent Traffic Management Systems*

Challenge	Main impact	Research priority
Technical	Latency, scalability and interoperability issues	Scalable architectures; standardized protocols
Data	Lower prediction accuracy due to heterogeneous/incomplete data	Data fusion; real-time analytics
Security & privacy	Cyberattacks, data exposure and loss of trust	Secure and privacy-preserving frameworks
Infrastructure	High costs and legacy-system limitations	Cost-efficient gradual integration
Social & regulatory	Standardization and stakeholder-coordination barriers	Regulatory frameworks; collaborative governance

Across the four cases, implementation depends on both technological capability and governance. Singapore and London rely more strongly on centralized policy instruments, whereas Barcelona and Amsterdam illustrate greater dependence on cross-platform and stakeholder coordination. Table 2 summarizes the technologies, benefits, and constraints.

EMERGING TRENDS AND FUTURE DIRECTIONS

AI is increasingly used for predictive and adaptive traffic control. Deep and multi-agent reinforcement learning can coordinate signal decisions across intersections and improve network-level optimization [6], [7], [15]. Practical deployment nevertheless requires representative data, robust validation, and compatibility with existing controllers.

Table 2 *Comparison of Smart City Traffic Management Implementations*

City	Technologies	Benefits	Main constraints
Singapore	AI, IoT, ERP	Reduced congestion; efficient flow	Cost; scalability
Barcelona	IoT, smart sensors	Real-time traffic control	Integration; interoperability
London	Adaptive control, pricing	Congestion and emission reduction	Privacy; regulation
Amsterdam	Data-driven, multimodal ITS	Sustainable mobility	Coordination; complexity

Connected and autonomous vehicles extend this trend through V2X communication and cooperative perception. Sharing information among vehicles and infrastructure can improve awareness, safety, and traffic coordination, but mixed fleets introduce challenges in standardization, cybersecurity, and system integration [5], [15]. Figure 2 illustrates the main V2X interactions.

5G, emerging 6G concepts, and edge computing can support low-latency processing by moving computation closer to traffic data sources [18]. Their benefits depend on network coverage, edge-node availability, and the cost of upgrading urban infrastructure.

Digital twins provide virtual representations of transport systems for simulation, prediction, and scenario testing. Coupling these models with real-time data can support proactive traffic management, but practical use requires accurate calibration, continuous synchronization, and sufficient computational resources [17].

Explainable and trustworthy AI is also gaining importance in safety-relevant traffic applications, where automated decisions may require transparency and accountability [16], [18]. Interpretability must be balanced with model complexity, latency, and predictive performance, while privacy-aware data governance remains essential.

Together, these technologies point toward more predictive, distributed, and autonomous ITMS, but their value depends on interoperability, infrastructure readiness, cybersecurity, regulation, and maintainability.

Table 3 summarizes the main emerging trends, expected benefits, and implementation challenges.




Fig. 2 *Vehicle-to-everything (V2X) communication framework.*

DISCUSSION

The reviewed evidence shows that ITMS are cyber-physical and socio-technical systems: performance depends on sensing, communication, analytics, and control, but also on governance and institutional integration.

The challenges in Table 1 are strongly interconnected. Poor data quality weakens

AI-based prediction; communication latency reduces real-time responsiveness; and limited interoperability between legacy infrastructure, IoT devices, and management platforms increases both cost and complexity. Improvements in one layer therefore have limited effect unless related layers are addressed as well.

The city cases also show that technological maturity alone does not determine deployment success. Some technical barriers can be reduced through investment and modernization, whereas privacy requirements, regulatory adaptation, and stakeholder coordination depend on institutional capacity and local governance. ITMS strategies therefore need to be context-sensitive rather than directly transferred between cities.

AI-based control illustrates a related trade-off. Advanced learning methods can improve adaptability, but their practical adoption depends on stable data, validation under changing traffic conditions, integration with legacy controllers, and sufficient interpretability for safety-relevant decisions.

Table 3 *Emerging Trends in Intelligent Traffic Management Systems*

Trend / enabling technology	**Expected benefit**	**Main challenge**
AI / Deep RL	Adaptive control; congestion reduction	Reliability; explainability; data dependence
CAV / V2X	Safer and coordinated traffic	Security; standardization
5G/6G + Edge	Low-latency real-time control	Cost; deployment complexity
Digital Twins	Prediction and scenario testing	Synchronization; computational demand
Explainable AI	Transparency and accountability	Performance–interpretability trade-off

Cybersecurity and privacy should consequently be treated as system-level requirements rather than add-on protections. As V2X, connected vehicles, edge nodes, cloud platforms, and digital twins expand the attack surface, secure data governance becomes essential for operational reliability and public trust.

Future ITMS will increasingly combine edge intelligence, digital twins, V2X, and AI. Their practical contribution will depend on standardization, maintainability, deployment readiness, and institutional capacity.

Overall, effective intelligent traffic management requires an integrated framework linking technical innovation with secure data-driven control, infrastructure modernization, and governance.

CONCLUSION

This review identified five persistent challenge areas for ITMS: scalability and interoperability, heterogeneous data, cybersecurity and privacy, infrastructure constraints, and organizational coordination. Their interdependence means that successful deployment requires integrated technical and institutional solutions.

AI, connected vehicles, edge computing, and digital twins can strengthen future traffic management, but only when supported by reliable validation, interoperable infrastructure, cybersecurity, regulation, and long-term maintainability. Future research should therefore prioritize trustworthy and scalable solutions that can be deployed under real urban conditions.

ACKNOWLEDGMENTS: *The authors gratefully acknowledge the support provided by the project: BG05SFRP001-3.004-0025-C01 Doctoral Schools for Science, Innovation, and Green Energy in ICT "DUNIZVICT"*

REFERENCE

[1] M. Batty et al., "Smart cities of the future," The European Physical Journal Special Topics, vol. 214, no. 1, pp. 481–518, Nov. 2012, doi: 10.1140/epjst/e2012-01703-3.

[2] A. Zanella, N. Bui, A. Castellani, L. Vangelista, and M. Zorzi, "Internet of things for smart cities," IEEE Internet of Things Journal, vol. 1, no. 1, pp. 22–32, Feb. 2014, doi: 10.1109/jiot.2014.2306328.
[3] M. Q. Kheder and A. A. Mohammed, "Real-time traffic monitoring system using IoT-aided robotics and deep learning techniques," Kuwait Journal of Science, vol. 51, no. 1, p. 100153, Nov. 2023, doi: 10.1016/j.kjs.2023.10.017.
[4] H. Menouar, I. Guvenc, K. Akkaya, A. S. Uluagac, A. Kadri, and A. Tuncer, "UAV-Enabled Intelligent Transportation Systems for the Smart City: Applications and challenges," IEEE Communications Magazine, vol. 55, no. 3, pp. 22–28, Mar. 2017, doi: 10.1109/mcom.2017.1600238cm.
[5] T. Nadia, A. Mourad, M. Hamouma, and K. Hamoudi, "A survey on Vehicular Ad-Hoc Networks Routing Protocols: Classification and Challenges," Journal of Digital Information Management, vol. 17, no. 4, p. 227, Jul. 2019, doi: 10.6025/jdim/2019/17/4/227-244.
[6] A. Mahmood, W. E. Zhang, and Q. Z. Sheng, "Software-Defined Heterogeneous Vehicular Networking: the architectural design and open challenges," Future Internet, vol. 11, no. 3, p. 70, Mar. 2019, doi: 10.3390/fi11030070.
[7] M. Veres and M. Moussa, "Deep Learning for Intelligent Transportation Systems: A Survey of Emerging Trends," IEEE Transactions on Intelligent Transportation Systems, vol. 21, no. 8, pp. 3152–3168, Jul. 2019, doi: 10.1109/tits.2019.2929020.
[8] J. Lin, W. Yu, N. Zhang, X. Yang, H. Zhang, and W. Zhao, "A survey on Internet of things: architecture, enabling technologies, security and privacy, and applications," IEEE Internet of Things Journal, vol. 4, no. 5, pp. 1125–1142, Mar. 2017, doi: 10.1109/jiot.2017.2683200.
[9] Y. Toor, P. Muhlethaler, A. Laouiti, and A. La Fortelle, "Vehicle Ad Hoc networks: applications and related technical issues," IEEE Communications Surveys & Tutorials, vol. 10, no. 3, pp. 74–88, Jan. 2008, doi: 10.1109/comst.2008.4625806.
[10] M. Rath, "Smart Traffic Management System for Traffic Control using Automated Mechanical and Electronic Devices," IOP Conference Series Materials Science and Engineering, vol. 377, p. 012201, Jun. 2018, doi: 10.1088/1757-899x/377/1/012201.
[11] T. K. Soon, "Singapore's next-generation Electronic Road Pricing system and smart traffic management," IET Intelligent Transport Systems, vol. 17, no. 4, pp. 512–524, 2023, doi: 10.1049/itr2.12411.
[12] Wolniak, "Smart mobility in smart city – Copenhagen and Barcelona comparision," Scientific Papers of Silesian University of Technology Organization and Management Series, vol. 2023, no. 172, Jan. 2023, doi: 10.29119/1641-3466.2023.172.41.
[13] A. O. Adeniran, A. A. Adeniran, M. O. Ogieva, and G. Ogwuche, "Adoption of Intelligent Transport Systems (ITS) in urban transportation planning," Discover Global Society, vol. 4, no. 1, Feb. 2026, doi: 10.1007/s44282-025-00312-3.
[14] M. Qonita, R. Rachmawati, and R. Rijanta, "Assessing Amsterdam's urban mobility through the lens of smart mobility goals," Case Studies on Transport Policy, vol. 20, p. 101443, Apr. 2025, doi: 10.1016/j.cstp.2025.101443.
[15] J. Liang et al., "A survey on Multi-agent Reinforcement Learning for Adaptive Transportation solutions," SN Computer Science, vol. 6, no. 8, Nov. 2025, doi: 10.1007/s42979-025-04475-3.
[16] A. Kuznietsov, B. Gyevnar, C. Wang, S. Peters, and S. V. Albrecht, "Explainable AI for Safe and Trustworthy Autonomous Driving: A Systematic Review," IEEE Transactions on Intelligent Transportation Systems, vol. 25, no. 12, pp. 19342–19364, 2024, doi: 10.1109/TITS.2024.3474469.
[17] C. Ge and S. Qin, "Digital twin intelligent transportation system (DT-ITS)—A systematic review," IET Intelligent Transport Systems, vol. 18, no. 12, pp. 2325–2358, 2024, doi: 10.1049/itr2.12539.
[18] T. Gong, L. Zhu, F. R. Yu, and T. Tang, "Edge Intelligence in Intelligent Transportation Systems: a survey," IEEE Transactions on Intelligent Transportation Systems, vol. 24, no. 9, pp. 8919–8944, May 2023, doi: 10.1109/tits.2023.3275741.